AUTHOR INDEX

Page numbers in italics indicate biographic notes about the authors concerned.

Ashida, M., 141, *269*

Begnoche, B. C., 119, *137*
Boyer, L., 43, *137*
Bransden, A. S., 249, *269*
Bujurke, N. M., 237, *269*
Bullock, D. C., 381, *397*

de Celis, B., 287, *397*
Chabrerie, J. P., 43, *137*
Chien, A. Y., 273, *397*

Endo, K., 141, *269*

Friedrich, K., 1, *137*

Garrison, W. M., Jr., 33, *137*
Girardi, M., 249, *269*
Goto, H., 141, *269*
Guicheng, Y., 59, 69, *137*
Guoren, H., 59, 69, *137*

Hanmin, Z., 59, 69, *138*
Harrison, P. G., 25
Hasegawa, E., 157, *269*
Hida, A., 299, *397*
Hiremath, P. S., 237, *270*
Holstein, W. L., 119, *138*
Hsu, D.-C., 309, *397*

Jagadeeswar, M., 237, *270*
Jilani, S. T., 77

Kajdas, C., 167, *270*
Kennedy, J. S., 329, *397*
Kikabhai, T., 25
Kim, J., 33
Kishima, S., 299, *397*
Kowalski, P., 89, *138*
Kumanomido, S., 299, *398*

Lechtenberg, T. A., 33. *138*
Lhymn, C., 343
Light, R., 343

Matsumoto, Y., 309, *398*
McClelland, G. M., 381, *398*
McKechnie, T. N., 181, *270*
Megaw, J. H. P. C., 249, *270*
Momose, O., 19, *138*
Murphy, S., 211, *270*

Nailwal, T. S., 329, *398*
Nakayama, K., 107, *138*
Noel, S., 43, *138*

Ogino, K., 299, *398*

Pandey, P. C., 77
Parshutin, V. V., 225, *271*
Pascovici, M. D., 261, *271*
Petrov, Yu. N., 225, *271*

Radulescu, A. O., 261, *271*
Rapoport, L. S., 225, *271*
Rosenfield, A. R., 319, *398*
Rymuza, Z., 89, *138*

Savaskan, T., 211, 361, *271*, *399*
Schmidt, F. E., 119, *138*
Seki, H., 381, *399*
Sinha, P., 329, *399*
Studt, P., 107, *139*

Thomas, S., 201, *271*
Tomlinson, W. J., 249, *271*

Uchida, S., 19, *139*

Veinot, D. E., 361, *399*
Voss, H., 1, *139*

Wert, J. J., 181, *271*

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Abrasion
ductility and the abrasive wear resistance of hot work die steels, 33
Adsorption
the adsorption of polar cyclic compounds on Fe surfaces from hydrocarbon solutions and their lubricating properties, 107
Alcohols
about an anionic-radical concept of the lubrication mechanism of alcohols, 167
Alloys
the influence of O_2 and water vapour on the friction and wear of an Al alloy under fretting conditions, 141
mechanical properties and lubricated wear of Zn–25Al-based alloys, 211
Aluminium
the influence of O_2 and water vapour on the friction and wear of an Al alloy under fretting conditions, 141
mechanical properties and lubricated wear of Zn–25Al-based alloys, 211
Ammonia
gas sulphonitriding steels in a CS_2 and NH_3 atmosphere, 19

Bearings
analysis of normal stress effects in a squeeze film porous bearing, 237
the contact pressure distribution in the friction region of miniature journal bearings, 89
on the wear and failure of high speed roller bearings, 361
bis(*O*,*O*′-dialkyldithiophosphates)
thermogravimetric analysis of Zn and Pb bis(*O*,*O*′-dialkyldithiophosphates) and their complexes with nitrogen donor molecules, 25
Boron
the effect of composition and process parameters on the erosion resistance of sputtered Ni–TiB_2 coatings, 181

Carbides
electrical machining characteristics of cemented carbides, 77
Carbon
friction and wear of poly(phenylene sulphide) and its C fibre composites: I unlubricated, 59
:II water lubrication, 69
Carbon disulphide
gas sulphonitriding steels in a CS_2 and NH_3 atmosphere, 19
Cast irons
the effect of laser surface melting on the cavitation wear of grey cast iron in distilled and 3% salt waters, 249
Cavitation
susceptibility of type 431 stainless steel to erosion–corrosion by vibratory cavitation in corrosive media, 299
Cavitation wear
the effect of laser surface melting on the cavitation wear of grey cast iron in distilled and 3% salt waters, 249
Coatings
the effect of composition and process parameters on the erosion resistance of sputtered Ni–TiB_2 coatings, 181
Raman spectroscopy of disk coatings in a working magnetic disk drive, 381
Composites
effect of sliding velocity on wear rate of fibrous polymer composites, 343
friction and wear of poly(phenylene sulphide) and its C fibre composites: I unlubricated, 59
: II water lubrication, 69
on the wear behaviour of short-fibre-reinforced PEEK composites, 1
Contacts
the contact pressure distribution in the friction region of miniature journal bearings, 89

© Elsevier Sequoia/Printed in The Netherlands

Corrosion
susceptibility of type 431 stainless steel to erosion–corrosion by vibratory cavitation in corrosive media, 299
Cutting
workpiece temperature rise during the cutting of AISI 4340 steel, 309

Deformation
the influence of temperature on the deformation and fracture of an LiF single crystal subjected to friction and wear, 225
Ductility
ductility and the abrasive wear resistance of hot work die steels, 33

Elastomers
scanning electron microscopy studies on wear properties of blends of plasticized poly(vinyl chloride) and thermoplastic copolyester elastomer, 201
Erosion
the effect of composition and process parameters on the erosion resistance of sputtered Ni–TiB_2 coatings, 181
susceptibility of type 431 stainless steel to erosion–corrosion by vibratory cavitation in corrosive media, 299

Fibres
electrochemically activated wear of metal fibre brushes, 43
friction and wear of poly(phenylene sulphide) and its C fibre composites: I unlubricated, 59
: II water lubrication, 69
Fluorine
the influence of temperature on the deformation and fracture of an LiF single crystal subjected to friction and wear, 225
Fracture
the influence of temperature on the deformation and fracture of an LiF single crystal subjected to friction and wear, 225
Fretting
the influence of O_2 and water vapour on the friction and wear of an Al alloy under fretting conditions, 141

Friction
the contact pressure distribution in the friction region of miniature journal bearings, 89
friction and wear of poly(phenylene sulphide) and its C fibre composites: I unlubricated, 59
: II water lubrication, 69
the influence of O_2 and water vapour on the friction and wear of an Al alloy under fretting conditions, 141
the influence of temperature on the deformation and fracture of an LiF single crystal subjected to friction and wear, 225
theoretical analysis of dry friction in brittle and ductile materials, 287

Hydrocarbons
the adsorption of polar cyclic compounds on Fe surfaces from hydrocarbon solutions and their lubricating properties, 107
Hydrostatic pressure effects
hydrostatic pressure effects in misaligned radial face seals with non-newtonian fluids, 329

Iron
the adsorption of polar cyclic compounds on Fe surfaces from hydrocarbon solutions and their lubricating properties, 107

Lasers
the effect of laser surface melting on the cavitation wear of grey cast iron in distilled and 3% salt waters, 249
Lead
thermogravimetric analysis of Zn and Pb bis(O,O'-dialkyldithiophosphates) and their complexes with nitrogen donor molecules, 25
Lithium
the influence of temperature on the deformation and fracture of an LiF single crystal subjected to friction and wear, 225
Lubrication
the adsorption of polar cyclic compounds on Fe surfaces from hydrocarbon solutions and their lubricating properties, 107

about an anionic-radical concept of the lubrication mechanism of alcohols, 167
friction and wear of poly(phenylene sulphide) and its carbon fibre composites: II: water lubrication, 69
mechanical properties and lubricated wear of Zn–25Al-based alloys, 211

Machining
electrical machining characteristics of cemented carbides, 77

Magnetic disk drive
Raman spectroscopy of disk coatings in a working magnetic disk drive, 381

Melting
the effect of laser surface melting on the cavitation wear of grey cast iron in distilled and 3% salt waters, 249

Metals
electrochemically activated wear of metal fibre brushes, 43

Nickel
the effect of composition and process parameters on the erosion resistance of sputtered Ni–TiB_2 coatings, 181

Nitrogen
thermogravimetric analysis of Zn and Pb bis(O,O'-dialkyldithiophosphates) and their complexes with nitrogen donor molecules, 25

Non-newtonian fluids
hydrostatic pressure effects in misaligned radial face seals with non-newtonian fluids, 329

Oxygen
the influence of O_2 and water vapour on the friction and wear of an Al alloy under fretting conditions, 141

Polyetheretherketone
on the wear behaviour of short-fibre-reinforced PEEK composites, 1

Polymers
effect of sliding velocity on wear rate of fibrous polymer composites, 343

Poly(phenylene sulphide)
friction and wear of poly(phenylene sulphide) and its C fibre composites: I unlubricated, 59
: II water lubrication, 69

Poly(vinyl chloride)
scanning electron microscopy studies on wear properties of blends of plasticized poly(vinyl chloride) and thermoplastic copolyester elastomer, 201

Raman spectroscopy
Raman spectroscopy of disk coatings in a working magnetic disk drive, 381

Scanning electron acoustic microscopy
characterization of tribological surfaces by scanning electron acoustic microscopy, 119

Scanning electron microscopy
scanning electron microscopy studies on wear properties of blends of plasticized poly(vinyl chloride) and thermoplastic copolyester elastomer, 201

Seals
hydrostatic pressure effects in misaligned radial face seals with non-newtonian fluids, 329

Sliding
effect of sliding velocity on wear rate of fibrous polymer composites, 343
a shear instability model of sliding wear, 319

Spectral analysis
the definition of the characteristic mean value p_k and its application in spectral analysis, 273

Squeeze film
analysis of normal stress effects in a squeeze film porous bearing, 237
the grease squeeze film 261
squeeze film due to a rotating curved disk approaching a fixed plane under the action of a force and moment, 157

Steel
ductility and the abrasive wear resistance of hot work die steels, 33
gas sulphonitriding steels in a CS_2 and NH_3 atmosphere, 19
susceptibility of type 431 stainless steel to erosion–corrosion by vibratory cavitation in corrosive media, 299
workpiece temperature rise during the cutting of AISI 4340 steel, 309

Stress
analysis of normal stress effects in a squeeze film porous bearing, 237
Surfaces
the adsorption of polar cyclic compounds on Fe surfaces from hydrocarbon solutions and their lubricating properties, 107
characterization of tribological surfaces by scanning electron acoustic microscopy, 119
the effect of laser surface melting on the cavitation wear of grey cast iron in distilled and 3% salt waters, 249

Thermogravimetric analysis
thermogravimetric analysis of Zn and Pb bis(O,O'-dialkyldithiophosphates) and their complexes with nitrogen donor molecules, 25
Titanium
the effect of composition and process parameters on the erosion resistance of sputtered Ni–TiB_2 coatings, 181
Tribological properties
characterization of tribological surfaces by scanning electron acoustic microscopy, 119

Wear
ductility and the abrasive wear resistance of hot work die steels, 33
the effect of laser surface melting on the cavitation wear of grey cast iron in distilled and 3% salt waters, 249
effect of sliding velocity on wear rate of fibrous polymer composites, 343
electrochemically activated wear of metal fibre brushes, 43
friction and wear of poly(phenylene sulphide) and its C fibre composites: I unlubricated, 59
: II water lubrication, 69
the influence of O_2 and water vapour on the friction and wear of an Al alloy under fretting conditions, 141
the influence of temperature on the deformation and fracture of an LiF single crystal subjected to friction and wear, 225
mechanical properties and lubricated wear of Zn–25Al-based alloys, 211
scanning electron microscopy studies on wear properties of blends of plasticized poly(vinyl chloride) and thermoplastic copolyester elastomer, 201
a shear instability model of sliding wear, 319
on the wear behaviour of short-fibre-reinforced PEEK composites, 1
on the wear and failure of high speed roller bearings, 361

Zinc
mechanical properties and lubricated wear of Zn–25Al-based alloys, 211
thermogravimetric analysis of Zn and Pb bis(O,O'-dialkyldithiophosphates) and their complexes with nitrogen donor molecules, 25